


CLIP, Chemical Laboratory Information Profile

"Only when you know the hazards, can you take the necessary precautionary measures."

Ammonia, aqueous



CAS No.: 1336-21-6

(approximately 30% NH₃)

Synonyms: Aqua ammonia, ammonia water, Spirit of Hartshorn, ammonium hydroxide

Physical Properties		Exposure Limits	
A colorless alkaline liquid with a pungent odor.		Limits pertain to the vapor, CAS No. 7664-41-7, not the liquid:	
Vapor pressure at 20 °C:	118 torr	OSHA PEL:	50 ppm
Melting point:	-77 °C	ACGIH TLV:	25 ppm
Boiling point:	36 °C	STEL:	35 ppm

Hazardous Characteristics

Overall toxicity	Flammability	Destructive to skin/eye	Absorbed through skin	Sensitizer?	Self-reactive?	Incompatible with:
3	1	3	0	No	No	Acids, halogens and other oxidizing agents; aluminum, zinc, mercury, and other metals; silver oxide, hypochlorite solution.*

0: None (or very low); 1: Slight; 2: Moderate; 3: High; 4: Severe.

*Reactivity Hazards

Although generally considered a weak base, aqueous ammonia reacts violently with most acids. It forms explosive compounds with mercury, silver oxide, and other compounds of silver. It corrodes many metals, notably those in Groups IIA, IIB, IIIA, and IIIB. With the halogens it forms the shock-sensitive, explosive nitrogen trihalides. With household bleach (sodium hypochlorite solution) it forms toxic and explosively unstable chloramines. The concentration of ammonia in the air above solutions of aqueous ammonia can be within the explosive limits for ammonia (15–28%). See Bretherick's *Handbook of Reactive Chemical Hazards* for details and for other incompatibilities.

Cited as known to be or reasonably anticipated to be carcinogenic in NTP-9? No

Identified as a reproductive toxin in Frazier and Hage, *Reproductive Hazards of the Workplace*? No

Typical symptoms of acute exposures:

Irritation of skin and eyes, which can be severe. Sore throat, abdominal pain, nausea if ingested. Coughing, labored breathing if inhaled; inhalation can result in lung edema but the symptoms often are delayed up to a few hours. Physical exertion during this period can aggravate the symptoms when they do appear. Rest and hospitalization are essential.

Principal target organ(s) or system(s):

Respiratory system, eyes, skin.

Storage Requirements

Store separately, away from acids and oxidizing agents, in a cool, dry, well-ventilated location.

Additional Remarks

In a warm environment, high pressures can develop within a closed container. The aqueous ammonia solutions sold for household uses typically contain approximately 14% ammonia along with a little soap or detergent and perfume. The formula, NH₄OH, sometimes used for aqueous ammonia solutions, is incorrect; the molecular species, NH₃, does not exist.

Notes

ReadMe

This Chemical Laboratory Information Profile is *not* a Material Safety Data Sheet. It is a brief summary for teachers and their students that describes some of the hazards of this chemical as it is typically used in laboratories. On the basis of your knowledge of these hazards and before using or handling this chemical, *you need to select the precautions and first-aid procedures to be followed*. For that information as well as for other useful information, refer to Material Safety Data Sheets, container labels, and references in the scientific literature that pertain to this chemical.

Reproductive Toxins

Some substances that in fact are reproductive toxins are not yet recognized as such. For the best readily available and up-to-date information, refer to "DART/ETIC". See the TOXNET home page at www.sis.nlm.nih.gov and click on "Toxicology search". *Note that some of the data in DART/ETIC have not been peer-reviewed*. See also Linda M. Frazier and Marvin L. Hage, *Reproductive Hazards of the Workplace*; Wiley, 1998; and T. H. Shepard, *Catalog of Teratogenic Agents*, 9th ed.; Johns Hopkins University Press, 1998.

Abbreviations

ACGIH TLV—American Conference of Governmental Industrial Hygienists—Threshold Limit Value. C—Ceiling. CAS—Chemical Abstracts Service. mg/m³—milligrams per cubic meter. NA—Not applicable. NE—Not established. NI—No information. NTP-9—National Toxicology Program, Ninth Annual Report on Carcinogens. OSHA PEL—Occupational Safety and Health Administration—Permissible Exposure Limit. ppm—parts per million. STEL/C—Short-term exposure limit and ceiling.

Prepared by: Jay A. Young

Date of preparation: October 10, 2002